

Imuno-Guard™

PRODUCT FACTS

ACTIVE INGREDIENTS:	Per 2.66 oz	DIRECTIONS FOR USE:
Garlic.....	15,500 mg	Maintenance: Administer 2.66 ounces per day Can be given during or after meal times.
Calcium Ascorbate as Ester-C®	1,000 mg	NOTE: SCOOP INCLUDED, EQUALS 2.66 OUNCES
INACTIVE INGREDIENT: Rice Bran		WARNINGS:
CAUTIONS: Safe use in pregnant animals or animal intended for breeding has not been proven. Anti-coagulant effect in high doses shouldn't be used prior to surgery; may cause digestive upset (raw); excessive, sustained doses may cause Heinz body anemia; not to be used in pre-existing animals with anemia. If animal's condition worsens or does not improve, stop product administration and consult your veterinarian. Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.		For animal use only. Keep out of the reach of children and other animals. In case of accidental overdose, contact a health professional immediately. This product should not be given to animals intended for human consumption.
Questions? Richdel, Inc., P.O. Box 1968, Carson City, NV 89702 800-648-0950 PST 8:00 a.m. to 4:30 p.m. • www.selectthebest.com		Ester-C® "Manufactured under U.S. Patent No. 4,822,816; 5,070,085; and 6,197,815. Other U.S. and foreign patents pending." Ester-C® is a licensed trademark of The Ester-C Company, 6735 Inter-Cal Way, Prescott, AZ 86301 USA. www.Ester-C.com
SUPPORTS A HEALTHY IMMUNE SYSTEM IN ALL HORSES		



REV. 9-2014

